

Car Care Ingredient Statements

Prestone® Super Radiator Cleaner (AS-101)

Water, Citric Acid, Sodium Hydroxide, Ethoxylated Alcohol, Glutaraldehyde (Preservative), Polydimethyl Siloxane.

Prestone® 10 Minute Flush (AS-106BL)

Water, Citric Acid, Sodium Hydroxide, Ethoxylated Alcohol, Glutaraldehyde (Preservative), Polydimethyl Siloxane.

Prestone® Super Radiator Flush (AS-107)

Water, Citric Acid, Sodium Hydroxide, Ethoxylated Alcohol, Glutaraldehyde (Preservative), Polydimethyl Siloxane.

Prestone® Super Radiator Anti-Rust (AS-117)

Water, Petroleum Oil Base Stock, Polydimethyl Siloxane.

Prestone® Heavy Duty Stop Leak (AS-122)

Soybean Meal, Soybean Oil, Fuller's Earth.

Prestone® Super Radiator Sealer (AS-127)

Water, Bentonite, Glutaraldehyde (Preservative), Soybean Meal, Fuller's Earth, Borax (Boric Acid, Sodium Salt, Pentahydrate), 2-propenoic Acid, 1,4-Benzenedicarbonyl, Sodium Carbonate.

Prestone® Super Radiator Stop Leak (AS-148)

Water, Bentonite, Soybean Meal, Glutaraldehyde (Preservative), Fuller's Earth, Sodium Nitrate, Borax (Boric Acid, Sodium Salt, Pentahydrate), 2-propenoic Acid, 1,4-Benzenedicarbonyl, Sodium Carbonate.

Prestone® Stops Leaks (AS-157)

Petroleum Oil, Soybean Meal, Soybean Oil, Calcium Propionate bentonite, 1,4-Benzenedicarbonyl, Dye.

Prestone® Cooling System/Antifreeze Treatment (AS-175)

Water, Polyalkylene Glycol, Sodium Hydroxide, Siloxane Glycol Copolymer, Polyglycol, Polyoxyalkylene Polymer.

Prestone® Power Steering Fluid (AS-260, AS-261, AS-265)

High Refined Petroleum Oil, Zinc compounds.

Prestone® Power Steering Fluid Plus Stop Leak (AS-262, AS-263)

High Refined Petroleum Oil, Alkoxy Sulfolane, Zinc compounds.

Prestone® Power Steering Fluid For Honda® and Acura® Vehicles (AS-267)

Petroleum Distillate, Polybutene, Chlorinated Paraffin, Vinyl Acetate Copolymer, Di-tert-butyl Derivative, Benzotriazole Derivative, Zinc Dithiophosphate, calcium Sulfonate, Calcium Carboxylate, Silicone Emulsion.

Prestone® ATF Automatic Transmission Fluid Plus Stop Leak (AS-270)

Hydrotreated Heavy Paraffinic Distillate, Mineral Oil, Substituted Alkyl Phosphite, 2-naphthalenol Azo Derivatives.

Prestone® Synthetic DOT 3 Brake Fluid (AS-400, AS-401)

Triethylene Glycol Monobutyl Ether, Diethylene Glycol, Diethylene Glycol Monobutyl Ether, Polyethylene Glycol Monobutyl Ether, Pentaethylene Glycol, Tetraethylene Glycol, Diisopropanolamine, Triethylene Glycol.

Prestone® Synthetic Hi-Temp DOT 3 Brake Fluid (AS-600, AS-601)

Triethylene Glycol Monobutyl Ether, Diethylene Glycol, Diethylene Glycol Monobutyl Ether, Polyethylene Glycol Monobutyl Ether, Pentaethylene Glycol, Tetraethylene Glycol, Diisopropanolamine, Triethylene Glycol.

Prestone® Synthetic DOT 4 Brake Fluid (AS-800)

Triethylene Glycol Monomethyl Ether Borate Ester, Polyethylene Glycol Monomethyl Ether, Triethylene Glycol Monomethyl Ether, Triethylene Glycol Monobutyl Ether, Polyethylene Glycol Monobutyl Ether, Tetraethylene Glycol, Triethylene Glycol, Pentaethylene Glycol, Diisopropanolamine, Sodium Hydroxide.

Prestone® Bug Wash® Concentrate Washer Fluid Additive (AS-245)

Water, Ammonium Hydroxide, 1-Amino- 2 Propanol, Alkyl Polyglucoside, Fragrance, Sodium Lauryl Sulfate, Polydimethylsiloxane Silicone Emulsion.

Prestone® Bug Wash® Windshield Washer Fluid (AS-257)

Water, Ammonium Hydroxide, 1-Amino- 2 Propanol, Fragrance, Alkyl Polyglucoside, Sodium Lauryl Sulfate, Polydimethylsiloxane Silicone Emulsion, Dye.

Prestone® Premium Starting Fluid (AS-237)

Heptane, Diethyl Ether, Carbon Dioxide, Mineral Seal Oil, 2,2'-Methylenebis (4-methyl-6-tert-butylphenol).

Prestone® Washer Fluid Booster De-Icer Additive (AS-240)

Methyl Alcohol, Ethylene Glycol, Isopropanol, Water, Amino modified Silicone Polyether Copolymer.

Prestone® Windshield De-Icer (AS-242, AS-244)

Methyl Alcohol, Water, Ethylene Glycol, Ammonium Hydroxide, Morpholine.

Prestone® Ice & Frost Shield Vehicle Glass Treatment (AS246)

Methyl Alcohol, Propylene Glycol, Glycerine Polymer, Ethylene Oxide, Propylene Oxide.

Prestone® Windshield De-Icer (AS-247)

Methyl Alcohol, Water, Ethylene Glycol.

Prestone® De-Icer Windshield Washer Fluid with Dirt Blocker® (AS-250)

Water, Methyl Alcohol, Ethylene Glycol, Amino modified Silicone Polyether Copolymer, Dye, Polyalkyleneoxide, Silica Filled Silicone Oil, Silica Filled Polydimethylsiloxane, Polyacrylate Thickener, Alkylene Glycol.

Prestone® Heavy-Duty Brake Parts Cleaner (AS-305)

Acetone, Heptane, Toluene, Carbon Dioxide, Methyl Cyclohexane, Petroleum Distillate, Formaldehyde.

Prestone® Heavy-Duty Engine Degreaser (AS-310)

Water, Butane, Nonyl Phenol Ethoxylate, Petroleum Distillate, 2-Butoxyethanol, Propane, Tall Oil Fatty Acid, Potassium Hydroxide.

Prestone® Belt Dressing (AS-325)

Water, Hydrocarbon Polymer, 1,2,4-Trimethylbenzene, Butane, Petroleum Distillate, Propane, 1,3,5-Trimethylbenzene, Cumene, 1,2,3-Trimethylbenzene, Xylene, Sodium Benzoate, Oleic Acid Ester, Ammonium Hydroxide, Oleic Acid Propanol Ester, Sodium Oleate.

Prestone® Interior Cleaner With Odor Neutralizer (AS-345)

Water, Butane, Propane, Sodium Carbonate, Modified Carboxylate, Sodium Lauryl Sulfate, Glycine Betaine, Sodium Citrate, Diethanol Amine, Benzene Sulfonic Acid, Dodecyl-, Sodium Salt, Polyethylene Glycol lauryl Ether, Hexahydro-1,3,5-tris (2-hydroxyethyl)-s triazine (Preservative), Fragrance, Esters of Salicylic, butyric and acetic acids, Essential Oils of Camphor, eucalyptus and pine, Polyol Alcohol, Nonylethoxylate, Alcohol Ethoxylate, Alkyl Polyglucoside, PPG-2-Isodeceth-4.

Prestone® Stain Remover (AS-348)

Water, Butane, Propane, Sodium Carbonate, Modified Carboxylate, Sodium Lauryl Sulfate, Hexahydro-1,3,5-tris (2-hydroxyethyl)-s triazine (Preservative), Fragrance, Alcohol Ethoxylate, Alkyl Polyglucoside, PPG-2-Isodeceth-4.

Prestone® Glass Cleaner (AS-350)

Water, 2-Butoxyethanol, Butane, Propane, Ammonium Hydroxide, Fragrance, Octylphenoxypoly Ethanol, Ethoxylated Nonylphenol, d-Limonene, Ethyl Butyrate.

Prestone® Bug & Tar Remover (AS-355)

Water, Kerosene, Butane, Propane, Petroleum Distillate, Nonylphenoxypoly Ethanol, Octylphenoxypoly Ethanol, Sodium Benzoate, Naphthalene, Morpholine, Amyl Acetate.

Prestone® Tire Jack® Inflator & Sealer (AS-370)

Water, 1,1,1,2-tetrafluoroethane, 2-butoxyethanol, Polyvinyl Acetate Emulsion, Ethylene Glycol, Ammonium Hydroxide.

Prestone® High Protection Car Wax (AS-391)

Water, Mineral Spirits, Hydrated Aluminum Silicate, Di-Methyl Silicone, Wax, Aminofunctional Silicone Fluid, Steric Acid, Morpholine, Fragrance, Oleic Acid, Polyacrylate Polymer, 1,2-Benzisothiazin-3-one (Preservative).

Prestone® Car Wash (AS-393)

Water, Sodium Lauryl Sulfate, Sulfosuccinate, Glycerin, Propylene Glycol, Coco Betaine, Polyacrylic Acid Polymer, Triethanolamine, Fragrance, Salt of Ethylenediaminetetraacetate, Methylchlorisothiazolinone, methylisothiazolinone (Preservative).

Prestone® Tire Shine (AS-395)

Mineral Spirits, Cyclic Silicone, Di-Methyl Silicone, Aminofunctional Silicone Fluid.

Prestone® Quick Shine Detailer (AS-397)

Water, Organo-silicone Emulsion, Aminofunctional Silicone Emulsion, Canauba Wax Emulsion, Fragrance, Hexahydro-1,3,5-tris (2-hydroxyethyl)-s triazine (Preservative).

Prestone® Wheel Cleaner with Brake Dust Repellant (AS-398)

Water, Sodium Laurel Sulfate, Sulfonated Styrene Maleic Anhydride, Styrene and Acrylic Terpolymer, Ethylenediamine Tetraacetic Acid, Sodium Carbonate, Nonionic Alcohol Ethoxylate, Hexahydro-1,3,5-tris (2-hydroxyethyl)-s triazine (Preservative).

Prestone® Complete Fuel System Cleaner (AS-715, AS-790)

Petroleum Distillate, Alkylphenol Polyoxyalkyl Alkylamine, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, N-Propylbenzene, Xylene, Cumene, 1,2,3-Trimethylbenzene.

Prestone® Gas Treatment (AS-720, AS-791)

Petroleum Distillate, Isopropanol, Methyl Alcohol, Polyolefin Alkylphenol Alkylamine, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, N-Propylbenzene, Xylene, 2-Ethylbenzene, Cumene, 1,2,3-Trimethylbenzene.

Prestone® Fuel Injector Cleaner (AS-730, AS-792)

Petroleum Distillate, Polyolefin Alkylphenol Alkylamine, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, N-Propylbenzene, Xylene, 2-Ethylbenzene, Cumene, 1,2,3-Trimethylbenzene.

Prestone® Synthetic Fuel Injector Cleaner with 0 To 60® Octane Booster (AS-731)

Petroleum Distillate, Polyolefin Alkylphenol Alkylamine, Methylcyclopentadienyl Manganese Tricarbonyl, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, N-Propylbenzene, Xylene, Cumene, 2-Ethylbenzene, 1,2,3-Trimethylbenzene.

Prestone® 0 To 60® Octane Booster (AS-740, AS-793)

Petroleum Distillate, Polyolefin Alkylphenol Alkylamine, Methylcyclopentadienyl Manganese Tricarbonyl, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, N-Propylbenzene, Xylene, Cumene, 2-Ethylbenzene, 1,2,3-Trimethylbenzene.

Prestone® Diesel Fuel Treatment (AS-760, AS794)

Petroleum Distillate, Alkyl Alcohol, Naphthalene, Trimethylbenzene.

Antifreeze Ingredient Statements

Prestone® Extended Life Antifreeze/Coolant (AF-2000)

Ethylene Glycol, 2-Ethyl Hexanoic Acid Sodium Salt, Water, Sodium Hydroxide, Neodecanoic Acid Sodium Salt, Sodium Tolytriazole, Dye, n-Propanol, Polypropylene Glycol.

Prestone® 50/50 Extended Life Prediluted Antifreeze/Coolant Extended Life (AF-2100)

Water, Ethylene Glycol, 2-Ethyl Hexanoic Acid Sodium Salt, Sodium Hydroxide, Neodecanoic Acid Sodium Salt, Sodium Tolytriazole, Dye, n-Propanol, Polypropylene Glycol.